

# Package: ubms (via r-universe)

May 22, 2026

**Version** 1.2.9

**Date** 2026-04-22

**Title** Bayesian Models for Data from Unmarked Animals using 'Stan'

**Depends** R (>= 3.4.0), unmarked

**Imports** ggplot2 (>= 2.0.0), gridExtra, loo, Matrix (>= 1.5-0),  
methods, pbapply, Rcpp (>= 0.12.0), reformulas, rlang,  
RSpectra, rstan (>= 2.26.0), rstantools (>= 2.0.0), stats

**Suggests** knitr, raster, rmarkdown, terra, testthat

**VignetteBuilder** knitr

**Description** Fit Bayesian hierarchical models of animal abundance and occurrence via the 'rstan' package, the R interface to the 'Stan' C++ library. Supported models include single-season occupancy, dynamic occupancy, and N-mixture abundance models. Covariates on model parameters are specified using a formula-based interface similar to package 'unmarked', while also allowing for estimation of random slope and intercept terms. References: Carpenter et al. (2017) [doi:10.18637/jss.v076.i01](https://doi.org/10.18637/jss.v076.i01); Fiske and Chandler (2011) [doi:10.18637/jss.v043.i10](https://doi.org/10.18637/jss.v043.i10).

**License** GPL (>=3)

**URL** <https://ecoverseR.github.io/ubms/>

**BugReports** <https://github.com/ecoverseR/ubms/issues>

**Encoding** UTF-8

**RoxygenNote** 7.3.2

**Biarch** true

**LinkingTo** BH (>= 1.66.0), Rcpp (>= 0.12.0), RcppArmadillo (>= 0.9.300.2.0), RcppEigen (>= 0.3.3.3.0), rstan (>= 2.26.0), StanHeaders (>= 2.26.0), RcppParallel (>= 5.0.2)

**SystemRequirements** GNU make

**Collate** 'RcppExports.R' 'submodel.R' 'response.R' 'inputs.R' 'fit.R'  
 'posterior\_predict.R' 'posterior\_linpred.R' 'fitted.R' 'gof.R'  
 'occu.R' 'colext.R' 'missing.R' 'distsamp.R' 'fitlist.R'  
 'kfold.R' 'occuTTD.R' 'multinomPois.R' 'occuRN.R' 'pcount.R'  
 'loglik.R' 'mb\_chisq.R' 'plot\_effects.R' 'plot\_posteriors.R'  
 'predict.R' 'priors.R' 'ranef.R' 'residuals.R' 'spatial.R'  
 'stanmodels.R' 'test-helpers.R' 'ubms-package.R'  
 'ubmsFit-methods.R' 'ubmsFitList-methods.R' 'umf.R' 'utils.R'

**Config/pak/sysreqs** make

**Repository** <https://ecoverser.r-universe.dev>

**Date/Publication** 2026-04-22 17:14:16 UTC

**RemoteUrl** <https://github.com/ecoverser/ubms>

**RemoteRef** HEAD

**RemoteSha** c75d0df545a871d913b3a20a07f886a0d1e78020

## Contents

[,ubmsFit,character,missing,missing-method . . . . .	3
[,ubmsSubmodelList,character,missing,missing-method . . . . .	4
coef,ubmsFit-method . . . . .	4
extract,ubmsFit-method . . . . .	5
extract_log_lik . . . . .	5
fitList,ubmsFit-method . . . . .	6
fitted,ubmsFit-method . . . . .	6
get_elapsed_time,ubmsFit-method . . . . .	7
get_stancode,ubmsFit-method . . . . .	8
getY,ubmsFit-method . . . . .	8
gof . . . . .	9
kfold,ubmsFit-method . . . . .	10
loo,ubmsFit-method . . . . .	10
modSel,ubmsFitList-method . . . . .	11
names,ubmsFit-method . . . . .	12
names,ubmsFitList-method . . . . .	12
nsamples,ubmsFit-method . . . . .	13
plot,ubmsFit,ANY-method . . . . .	13
plot_effects,ubmsFit-method . . . . .	14
plot_posteriors,ubmsFit-method . . . . .	15
plot_residuals,ubmsFit-method . . . . .	16
plot_spatial . . . . .	17
posterior_linpred,ubmsFit-method . . . . .	17
posterior_predict,ubmsFit-method . . . . .	18
predict,ubmsFit-method . . . . .	19
priors . . . . .	20
projected . . . . .	21
ranef,ubmsFit-method . . . . .	22
residuals,ubmsFit-method . . . . .	23

[,ubmsFit,character,missing,missing-method 3

RSR . . . . .	24
stan_colext . . . . .	25
stan_distsamp . . . . .	27
stan_multinomPois . . . . .	29
stan_occu . . . . .	30
stan_occuRN . . . . .	31
stan_occuTTD . . . . .	33
stan_pcount . . . . .	35
summary,ubmsFit-method . . . . .	37
traceplot,ubmsFit-method . . . . .	37
turnover . . . . .	38
ubms . . . . .	38
ubmsFitList-extractors . . . . .	39
waic,ubmsFit-method . . . . .	39

**Index 41**

---

[,ubmsFit,character,missing,missing-method  
*Extract a Submodel from a ubmsFit Model*

---

## Description

Extract a Submodel from a ubmsFit Model

## Usage

```
## S4 method for signature 'ubmsFit,character,missing,missing'  
x[i]
```

## Arguments

x	A ubmsFit model
i	The name of a submodel to extract

## Value

An object of class ubmsSubmodel.

---

[,ubmsSubmodellList,character,missing,missing-method  
*Extract a ubmsSubmodel From a ubmsSubmodellList Object*

---

**Description**

Extract a ubmsSubmodel From a ubmsSubmodellList Object

**Usage**

```
## S4 method for signature 'ubmsSubmodellList,character,missing,missing'
x[i]
```

**Arguments**

x	Object of class ubmsSubmodellList
i	The name of a submodel

**Value**

An object of class ubmsSubmodel.

---

coef,ubmsFit-method    *Extract Coefficient Values From a ubmsFit Model*

---

**Description**

Extract Coefficient Values From a ubmsFit Model

**Usage**

```
## S4 method for signature 'ubmsFit'
coef(object, ...)
```

**Arguments**

object	A ubmsFit model
...	Currently ignored

**Value**

A vector of coefficient values for all submodels.

---

 extract,ubmsFit-method

*Extract Samples From a ubmsFit Model*


---

### Description

Extract samples from a ubmsFit model

### Usage

```
## S4 method for signature 'ubmsFit'
extract(object, pars, permuted = TRUE, inc_warmup = FALSE, include = TRUE)
```

### Arguments

object	A ubmsFit object
pars	An optional character vector providing parameter names of interest. If not specified, all parameters are used
permuted	Logical. If TRUE, draws are permuted and merged; if FALSE, the original order is kept
inc_warmup	Logical. If TRUE, warmup iterations are included; if FALSE they are discarded.
include	Logical. If TRUE provided parameter names in pars are kept; if FALSE they are excluded.

### Value

If permuted=TRUE, a list; if permuted=FALSE, an array.

---

 extract\_log\_lik

*Extract Pointwise Log-likelihood From Model*


---

### Description

Extracts the pointwise log-likelihood matrix or array from a model. This is useful as an input for functions in the loo package. If called on a ubmsFit object, the log-likelihood matrix or array is calculated using the posterior distributions of the parameters; the log-likelihood values are not actually saved inside the model object. If called on a stanfit object, loo::extract\_log\_lik is used. In this case, the log-likelihood must be saved as one of the output parameters in Stan.

### Usage

```
extract_log_lik(object, parameter_name = "log_lik", merge_chains = TRUE)
```

**Arguments**

object	A ubmsFit or stanfit object
parameter_name	The name of the log-likelihood parameter in the Stan output; ignored when object is a ubmsFit
merge_chains	If TRUE (the default), all Markov chains are merged together (i.e., stacked) and a matrix is returned. If 'FALSE' they are kept separate and an array is returned.

**Value**

A matrix (samples x sites) or array (samples x chains x sites)

---

fitList,ubmsFit-method

*Create a List of ubmsFit Models*

---

**Description**

Create a list of ubmsFit models

**Usage**

```
## S4 method for signature 'ubmsFit'
fitList(...)
```

**Arguments**

... ubmsFit model objects, preferably named, or a list of such models

**Value**

An object of class ubmsFitList containing the list of models

---

fitted,ubmsFit-method *Extract Fitted Values*

---

**Description**

Extract fitted values for a given submodel from a ubmsFit object. Fitted values are calculated separately for each submodel using the posterior predictive distribution of the latent state  $z$ , following Wright et al. (2019).

**Usage**

```
## S4 method for signature 'ubmsFit'
fitted(object, submodel, draws = NULL, ...)
```

**Arguments**

object	A fitted model of class ubmsFit
submodel	Submodel to get fitted values for, options are "state" or "det"
draws	An integer indicating the number of draws to return. The default and maximum number of draws is the size of the posterior sample.
...	Currently ignored

**Value**

A matrix of fitted values with dimension draws by observations. Note that calculation of fitted values for the detection submodel is conditional on  $z > 0$ , so fitted values for an observation in a posterior draw where  $z = 0$  are assigned value NA (Wright et al. 2019).

**References**

Wright, W. J., Irvine, K. M., & Higgs, M. D. (2019). Identifying occupancy model inadequacies: can residuals separately assess detection and presence? *Ecology*, 100(6), e02703.

---

get\_elapsed\_time,ubmsFit-method

*Get Model Runtime*

---

**Description**

Get warmup and sampling time from a ubmsFit object

**Usage**

```
## S4 method for signature 'ubmsFit'
get_elapsed_time(object, ...)
```

**Arguments**

object	A ubmsFit object
...	Arguments passed to rstan::get_elapsed_time

**Value**

A matrix with one row per chain and two columns, containing the warmup time and sampling time, respectively, in seconds

---

```
get_stancode,ubmsFit-method
```

*Get Stan Code From Model*

---

### Description

Get the Stan code used to run a model as a character string

### Usage

```
## S4 method for signature 'ubmsFit'
get_stancode(object, ...)
```

### Arguments

object	A ubmsFit object
...	Arguments passed to rstan::get_stancode

### Details

Pass the result of `get_stancode` to `cat` to get the code in a more readable format. Note that the output in most cases is Stan code that can be used to fit several types of models, and not all Stan code will be used in all models.

### Value

A character string with the model code

---

```
getY,ubmsFit-method
```

*Extract y, the Response Variable, From a ubmsFit Model*

---

### Description

Extract y, the Response Variable, From a ubmsFit Model

### Usage

```
## S4 method for signature 'ubmsFit'
getY(object)
```

### Arguments

object	A ubmsFit model
--------	-----------------

### Value

A matrix containing the response variable y.

---

`gof`*Check model goodness-of-fit*

---

**Description**

Goodness-of-fit tests for `ubmsFit` models using posterior predictive checks

**Usage**

```
gof(object, draws = NULL, ...)  
  
## S4 method for signature 'ubmsFitOccu'  
gof(object, draws = NULL, quiet = FALSE, ...)  
  
## S4 method for signature 'ubmsFitAbun'  
gof(object, draws = NULL, quiet = FALSE, ...)
```

**Arguments**

<code>object</code>	A fitted model of class <code>ubmsFit</code>
<code>draws</code>	Number of draws from the posterior to use in the check
<code>...</code>	Currently ignored
<code>quiet</code>	If TRUE, suppress progress bar

**Value**

An object of class `ubmsGOF` containing statistics calculated from the posterior predictive distribution.

**Functions**

- `gof(ubmsFitOccu)`: Applies the MacKenzie-Bailey chi-square goodness of fit test for occupancy models (MacKenzie and Bailey 2004).
- `gof(ubmsFitAbun)`: A goodness-of-fit test for N-mixture type models based on Pearson's chi-square.

**References**

MacKenzie, D. I., & Bailey, L. L. (2004). Assessing the fit of site-occupancy models. *Journal of Agricultural, Biological, and Environmental Statistics*, 9(3), 300-318.

---

kfold,ubmsFit-method *K-fold Cross-validation of a ubmsFit Model*

---

### Description

Randomly partition data into  $K$  subsets of equal size (by site). Re-fit the model  $K$  times, each time leaving out one of the subsets. Calculate the log-likelihood for each of the sites that was left out. This function is an alternative to loo (leave-one-out cross validation).

### Usage

```
## S4 method for signature 'ubmsFit'
kfold(x, K = 10, folds = NULL, quiet = FALSE, ...)
```

### Arguments

x	A ubmsFit model
K	Number of folds into which the data will be partitioned
folds	An optional vector with length equal to the number of sites in the data and containing integers from 1 to $K$ , to manually assign sites to folds. You should use this if you plan to compare multiple models, since the folds for each model should be identical. You can use <code>loo::kfold_split_random</code> to generate this vector
quiet	If TRUE, suppress progress bar
...	Currently ignored

### Value

An object of class `elpd_generic` that is compatible with `loo::loo_compare`

---

loo,ubmsFit-method *Leave-one-out Cross Validation*

---

### Description

Leave-one-out Cross Validation

### Usage

```
## S4 method for signature 'ubmsFit'
loo(x, ..., cores = getOption("mc.cores", 1))
```

**Arguments**

x	A ubmsFit model
...	Currently ignored
cores	Number of cores to use for calculation

**Value**

A named list of class loo with estimates of the expected log predictive density and other parameters used for model comparison. See ?loo:loo for more information.

---

modSel,ubmsFitList-method

*Model Selection For a List of ubmsFit Models*

---

**Description**

Construct a model selection table from a ubmsFitList

**Usage**

```
## S4 method for signature 'ubmsFitList'
modSel(object, ...)
```

**Arguments**

object	An object of class ubmsFitList
...	Currently ignored

**Value**

A data.frame of model fit information with one row per model in the input ubmsFitList. Models are ranked in descending order by expected log pointwise predictive density (elpd).

**See Also**

[loo](#), [loo\\_compare](#)

---

names,ubmsFit-method    *Get Parameter Names From a ubmsFit Model*

---

**Description**

Get Parameter Names From a ubmsFit Model

**Usage**

```
## S4 method for signature 'ubmsFit'  
names(x)
```

**Arguments**

x                    A ubmsFit model

**Value**

A character vector of parameter names.

---

names,ubmsFitList-method  
*Get Names of Models in a ubmsFitList*

---

**Description**

Get Names of Models in a ubmsFitList

**Usage**

```
## S4 method for signature 'ubmsFitList'  
names(x)
```

**Arguments**

x                    A ubmsFitList object

**Value**

A character vector of model names.

---

 nsamples,ubmsFit-method

*Get number of Posterior Samples Stored in a ubmsFit Model*


---

**Description**

Get number of Posterior Samples Stored in a ubmsFit Model

**Usage**

```
## S4 method for signature 'ubmsFit'
nsamples(object, ...)
```

**Arguments**

object	A ubmsFit model
...	Currently ignored

**Value**

An integer representing the number of posterior samples

---

plot,ubmsFit,ANY-method

*Plot Residuals For All Submodels in a ubmsFit Model*


---

**Description**

Plot Residuals For All Submodels in a ubmsFit Model

**Usage**

```
## S4 method for signature 'ubmsFit,ANY'
plot(x, y, ...)
```

**Arguments**

x	A ubmsFit model
y	Currently ignored
...	Currently ignored

**Value**

A plot object of class gtable with one panel per submodel.

---

 plot\_effects,ubmsFit-method

*Plot Marginal Effects of Covariates*


---

## Description

Generates marginal fixed effects plots of one or more covariates from a `ubmsFit` submodel. For each plot, the focal covariate is allowed to vary across its range (or possible discrete values, for a factor), while the other covariates are held at their medians or reference levels. Random effects are ignored.

## Usage

```
## S4 method for signature 'ubmsFit'
plot_effects(
  object,
  submodel,
  covariate = NULL,
  level = 0.95,
  draws = 1000,
  smooth = NULL,
  ...
)

## S4 method for signature 'ubmsFit'
plot_marginal(
  object,
  submodel,
  covariate = NULL,
  level = 0.95,
  draws = 1000,
  smooth = NULL,
  ...
)
```

## Arguments

<code>object</code>	A fitted model of class <code>ubmsFit</code>
<code>submodel</code>	Submodel to get plots for, for example "det"
<code>covariate</code>	Plot a specific covariate; provide the name as a string
<code>level</code>	Probability mass to include in the uncertainty interval
<code>draws</code>	Number of draws from the posterior to use when generating the plots. If fewer than draws are available, they are all used
<code>smooth</code>	Smoother span (f) value used for LOWESS smoothing of the upper and lower credible interval bounds for a continuous covariate. No smoothing is done if

NULL. A reasonable value to try is 0.05. The larger the value, the smoother the curve. As with all smoothing, use with caution

... Currently ignored

**Value**

A ggplot if a single covariate is plotted, or an object of class grob if there are multiple covariates/panels

---

plot\_posteriors,ubmsFit-method

*Plot Posterior Distributions*

---

**Description**

Plot posterior distributions for selected parameters. Posteriors can be represented as density plots or histograms.

**Usage**

```
## S4 method for signature 'ubmsFit'
plot_posteriors(object, pars = NULL, density = FALSE, ...)
```

**Arguments**

**object** A fitted model of class `ubmsFit`

**pars** A character vector of parameter names to include in the plot Look at `names(object@stanfit)` for the complete list of possible parameter names. If NULL, posteriors are shown for all parameters in the model summary output

**density** If TRUE, show posteriors as density plots (one per chain). If FALSE, show posteriors as histograms of samples from all chains combined

... Arguments passed to `ggplot2::stat_density` for density plots, or `ggplot2::geom_histogram` for histograms. For example, you can supply argument `bins` to control the number of histogram bins

**Value**

A ggplot

---

 plot\_residuals,ubmsFit-method

*Plot Model Residuals*


---

**Description**

Plot residuals for a submodel from a `ubmsFit` object, for multiple posterior draws. By default, residuals are plotted against fitted values. When the submodel has a binomial response (e.g., detection models), regular residual plots are not typically informative. Instead, the residuals and fitted values are divided into bins based on fitted value and the averages are plotted. For a count response (e.g., Poisson), Pearson residuals are calculated. To plot residuals against values of a particular covariate instead of the fitted values, supply the name of the covariate (as a string) to the `covariate` argument.

**Usage**

```
## S4 method for signature 'ubmsFit'
plot_residuals(
  object,
  submodel,
  covariate = NULL,
  draws = 9,
  nbins = NULL,
  ...
)
```

**Arguments**

<code>object</code>	A fitted model of class <code>ubmsFit</code>
<code>submodel</code>	Submodel to plot residuals for, for example "det"
<code>covariate</code>	If specified, plot residuals against values of a covariate. Covariate name should be provided as a string. If <code>NULL</code> , residuals are plotted against predicted values.
<code>draws</code>	An integer indicating the number of posterior draws to use. Separate plots are generated for each draw, so this number should be relatively small. The default and maximum number of draws is the size of the posterior sample.
<code>nbins</code>	For submodels with a binomial response, manually set the number of bins to use
<code>...</code>	Currently ignored

**Value**

A `ggplot` of residuals vs. fitted values or covariate values, with one panel per posterior draw. For binned residual plots, the shaded area represents plus/minus two standard deviations around the mean residual. If the model is true, we would expect about 95 fall within this area.

**See Also**

[residuals](#)

---

plot\_spatial                      *Plot A Map of the State Parameter Based on a Spatial ubms Model*

---

### Description

Plot A Map of the State Parameter Based on a Spatial ubms Model

### Usage

```
plot_spatial(object, param = c("state", "eta"), sites = TRUE, cell_size = NULL)
```

### Arguments

object	A ubmsFit model with a spatial random effect
param	The parameter to plot, either "state" for, e.g., mean occupancy or abundance, or "eta" for the random effect itself
sites	If TRUE, also plot the locations of sites that were sampled on the map and if had a detection of the species
cell_size	The size of each side of the (square) cells drawn in the map, in the same units as the coordinates. If NULL, ubms will try to pick a reasonable cell size for you

---

posterior\_linpred,ubmsFit-method  
*Posterior Distribution of the Linear Predictor*

---

### Description

Extract posterior draws of the linear predictor for a ubmsFit submodel, possibly transformed by the inverse-link function.

### Usage

```
## S4 method for signature 'ubmsFit'
posterior_linpred(
  object,
  transform = FALSE,
  submodel,
  newdata = NULL,
  draws = NULL,
  re.form = NULL,
  ...
)
```

**Arguments**

object	A fitted model of class <code>ubmsFit</code>
transform	Should the linear predictor be transformed using the inverse link function?
submodel	The name of the submodel, as a character string, for which to calculate the linear predictor
newdata	Optional data frame of newdata to use when calculating the linear predictor. If not provided, the model matrix is used.
draws	An integer indicating the number of draws to return. The default and maximum number of draws is the size of the posterior sample.
re.form	If NULL, any estimated group-level parameters ("random effects") are included. If NA, they are ignored
...	Currently ignored

**Value**

A matrix of simulations from the posterior predictive distribution of the linear predictor. The dimensions are draws by number of linear predictor values (e.g., number of sites or number of observations).

---

posterior\_predict,ubmsFit-method

*Draw from the posterior predictive distribution*

---

**Description**

Draw from the posterior predictive distribution after fitting a model. You can draw from the posterior of the observed outcome  $y$  or the latent unobserved state  $z$ .

**Usage**

```
## S4 method for signature 'ubmsFit'
posterior_predict(
  object,
  param = c("y", "z"),
  draws = NULL,
  re.form = NULL,
  ...
)
```

**Arguments**

object	A fitted model of class <code>ubmsFit</code>
param	Either "y" for the observed outcome or "z" for the unobserved latent state
draws	An integer indicating the number of draws to return. The default and maximum number of draws is the size of the posterior sample.

re.form	If NULL, any estimated group-level parameters ("random effects") are included. If NA, they are ignored
...	Currently ignored

**Value**

A matrix of simulations from the posterior predictive distribution. If `param = "z"`, the dimensions are draws by number of sites (or sites x primary periods in site-major order for dynamic models). If `param = "y"`, the dimensions are draws by sites x observations (or sites x primary periods x observations for dynamic models).

---

predict,ubmsFit-method

*Predict parameter values from a fitted model*

---

**Description**

This method generates predicted parameter values for the original dataset or a new dataset using the posterior distribution. Standard deviation and a customizable uncertainty interval are also calculated.

**Usage**

```
## S4 method for signature 'ubmsFit'
predict(
  object,
  submodel,
  newdata = NULL,
  transform = TRUE,
  re.form = NULL,
  level = 0.95,
  ...
)
```

**Arguments**

object	A fitted model of class <code>ubmsFit</code>
submodel	Submodel to predict from, for example "det"
newdata	Optional data frame, <code>SpatRaster</code> , or <code>RasterStack</code> of covariates to generate predictions from. If not provided (the default), predictions are generated from the original data
transform	If TRUE, back-transform the predictions to their original scale
re.form	If NULL, any estimated group-level parameters ("random effects") are included. If NA, they are ignored
level	Probability mass to include in the uncertainty interval
...	Currently ignored

**Value**

If `newdata` was a data frame: A data frame with one row per prediction and four columns: 1) Predicted point estimates (posterior means), 2) Standard deviation of the posterior, 3-4) Lower and upper bounds of the specified uncertainty interval

For parameters with more than one dimension, the rows are in site-major order, or site-year-observation for dynamic models.

If `newdata` was a `SpatRaster/RasterStack`, returns a `SpatRaster/RasterStack` with four layers corresponding to the four columns above with the same projection as the original `SpatRaster/RasterStack`.

**See Also**

`posterior_linpred`, `posterior_interval`

---

priors

*Prior distributions*

---

**Description**

Specify prior distributions and associated parameters for use in `ubms` models.

**Usage**

```
normal(location = 0, scale = 2.5, autoscale = TRUE)
```

```
uniform(lower = -5, upper = 5)
```

```
student_t(df = 1, location = 0, scale = 2.5, autoscale = TRUE)
```

```
logistic(location = 0, scale = 1)
```

```
cauchy(location = 0, scale = 2.5, autoscale = TRUE)
```

```
gamma(shape = 1, rate = 1)
```

```
laplace(location = 0, scale = 2.5, autoscale = TRUE)
```

**Arguments**

`location` The mean of the distribution. If setting the priors for regression coefficients, this can be a single value, or multiple values, one per coefficient

`scale` The standard deviation of the distribution. If setting the priors for regression coefficients, this can be a single value, or multiple values, one per coefficient

`autoscale` If `TRUE`, `ubms` will automatically adjust priors for each regression coefficient relative to its corresponding covariate `x`. Specifically, the prior for a given coefficient will be divided by `sd(x)`. This helps account for covariates with very different magnitudes in the same model. If your data are already standardized

(e.g. with use of `scale()`), this will have minimal effect as `sd(x)` will be approximately 1. Standardizing your covariates is highly recommended.

lower	The lower bound for the uniform distribution
upper	The upper bound for the uniform distribution
df	The number of degrees of freedom for the Student-t distribution
shape	The gamma distribution shape parameter
rate	The gamma distribution rate parameter (1/scale)

**Value**

A list containing prior settings used internally by `ubms`.

**Examples**

```
normal()
```

---

```
projected
```

---

```
Projected Occupancy Trajectories
```

---

**Description**

Generate posterior draws of occupancy probability for all sites and primary periods, i.e. the projected trajectory (Weir et al. 2009).

**Usage**

```
projected(object, ...)
```

```
## S4 method for signature 'ubmsFitCoIext'
projected(object, draws = NULL, re.form = NULL, ...)
```

**Arguments**

object	A fitted dynamic occupancy model of class inheriting <code>ubmsFit</code>
...	Currently ignored
draws	Number of draws from the posterior to use in the check
re.form	If NULL, any estimated group-level parameters ("random effects") are included. If NA, they are ignored

**Value**

A matrix of occupancy values from the posterior predictive distribution. The dimensions are draws by number of sites x primary periods in site-major order.

**References**

Weir LA, Fiske IJ, Royle J. 2009. Trends in Anuran Occupancy from Northeastern States of the North American Amphibian Monitoring Program. *Herpetological Conservation and Biology*. 4: 389-402.

**See Also**

[stan\\_coltext](#)

---

ranef,ubmsFit-method *Extract Random Effects*

---

**Description**

Extract random effects from a ubmsFit model. Note that this function works like ranef for merMod objects from lme4, not like ranef for unmarkedFit objects. To get functionality similar to that of unmarkedFit, use posterior\_predict.

**Usage**

```
## S4 method for signature 'ubmsFit'
ranef(object, submodel, summary = FALSE, add_mean = TRUE, ...)
```

**Arguments**

object	A fitted model of class ubmsFit
submodel	The name of the submodel, as a character string, for which to generate the random effects
summary	If TRUE, calculate mean, SD, and 95 for each random effect term
add_mean	If TRUE (the default) add the overall intercept or slope mean and return the complete random intercept or slope.
...	Currently ignored

**Details**

Note: by default this function adds the overall intercept or slope to the (mean-0) random effect to get the complete random intercept or slope. In this way the output is more like the output of lme4::coef and not lme4::ranef. You can turn this off and return just the mean-0 random effect by setting argument add\_mean = FALSE.

If you run ranef on a submodel with a spatial random effect, the function will return estimates of parameter eta.

**Value**

If summary=FALSE, a list of random effect values; if TRUE, a data frame with columns for random effect mean, SD, and 95

**See Also**[ranef, posterior\\_predict](#)

---

`residuals,ubmsFit-method`*Extract Model Residuals*

---

**Description**

Extract residuals for a given submodel from a `ubmsFit` object. Residuals are calculated separately for each submodel using the posterior predictive distribution of the latent state  $z$ , following Wright et al. (2019).

**Usage**

```
## S4 method for signature 'ubmsFit'  
residuals(object, submodel, draws = NULL, ...)
```

**Arguments**

<code>object</code>	A fitted model of class <code>ubmsFit</code>
<code>submodel</code>	Submodel to get residuals for, for example "det"
<code>draws</code>	An integer indicating the number of draws to return. The default and maximum number of draws is the size of the posterior sample.
<code>...</code>	Currently ignored

**Value**

A matrix of residual values with dimension `draws` by observations. Note that calculation of residuals for the detection submodel is conditional on  $z > 0$ , so residuals for an observation in a posterior draw where  $z = 0$  are assigned value `NA` (Wright et al. 2019).

**References**

Wright, W. J., Irvine, K. M., & Higgs, M. D. (2019). Identifying occupancy model inadequacies: can residuals separately assess detection and presence? *Ecology*, 100(6), e02703.

**Description**

A call to RSR in the formula for a state process adds an autocorrelated spatial random effect to the model in the form of a Restricted Spatial Regression (RSR). For examples of RSRs applied to ecological data, see Johnson et al. (2013) and Broms et al. (2014). The function can also be used outside a formula to visualize the spatial relationships between sites in your data and choose an appropriate distance threshold below which two sites will be considered neighbors, and thus potentially correlated, for the RSR model. For more details, see the example vignette: `vignette("spatial-models", package = "ubms")`

**Usage**

```
RSR(x, y = NULL, threshold, moran_cut = NULL, plot_site = NULL)
```

**Arguments**

<code>x</code>	A vector of coordinates (should be projected)
<code>y</code>	An (optional) second vector of coordinates
<code>threshold</code>	The distance cutoff below which two sites will be considered neighbors. Should be the same units as the coordinates.
<code>moran_cut</code>	The number of eigenvectors to use in the RSR. The possible range of values is between 1 and the number of sites. Smaller numbers will result in faster runtime and smoother map output, and vice-versa. If not provided (the default), the number of eigenvectors will be set as 10% of the number of sites which is usually appropriate.
<code>plot_site</code>	If a site number (as an integer) is supplied, the function returns a plot showing that site and its neighbors under the current settings. Useful for deciding what to set your threshold at.

**Value**

Either a list of spatial matrices used for the RSR (only useful internally to `ubms`), or if `plot_site` is an integer, a `ggplot` object.

**References**

Broms KM, Johnson DS, Altwegg R, Conquest LL. 2014. Spatial occupancy models applied to atlas data show Southern Ground Hornbills strongly depend on protected areas. *Ecological Applications* 24: 363-374.

Johnson DS, Conn PB, Hooten MB, Ray JC, Pond BA. 2013. Spatial occupancy models for large data sets. *Ecology* 94: 801-808.

**Examples**

```
# Generate some coordinates
x <- runif(100,0,10)
y <- runif(100,0,10)
# Show neighbors of site 10 when threshold is 3 units
RSR(x, y, threshold=3, plot_site=10)
```

stan\_colext

*Fit the MacKenzie et al. (2003) Dynamic Occupancy Model***Description**

This function fits the dynamic occupancy model of MacKenzie et al. (2003).

**Usage**

```
stan_colext(
  psiformula = ~1,
  gammaformula = ~1,
  epsilonformula = ~1,
  pformula = ~1,
  data,
  prior_intercept_psi = logistic(0, 1),
  prior_coef_psi = logistic(0, 1),
  prior_intercept_gamma = logistic(0, 1),
  prior_coef_gamma = logistic(0, 1),
  prior_intercept_eps = logistic(0, 1),
  prior_coef_eps = logistic(0, 1),
  prior_intercept_det = logistic(0, 1),
  prior_coef_det = logistic(0, 1),
  prior_sigma = gamma(1, 1),
  log_lik = TRUE,
  ...
)
```

**Arguments**

psiformula	Right-hand sided formula for the initial probability of occupancy at each site
gammaformula	Right-hand sided formula for colonization probability
epsilonformula	Right-hand sided formula for extinction probability
pformula	Right-hand sided formula for detection probability
data	A <code>unmarkedMultFrame</code> object
prior_intercept_psi	Prior distribution for the intercept of the psi (initial occupancy probability) model; see ?priors for options

`prior_coef_psi` Prior distribution for the regression coefficients of the psi model  
`prior_intercept_gamma` Prior distribution on intercept for colonization probability  
`prior_coef_gamma` Prior distribution on regression coefficients for colonization probability  
`prior_intercept_eps` Prior distribution on intercept for extinction probability  
`prior_coef_eps` Prior distribution on regression coefficients for extinction probability  
`prior_intercept_det` Prior distribution for the intercept of the detection probability model  
`prior_coef_det` Prior distribution for the regression coefficients of the detection model  
`prior_sigma` Prior distribution on random effect standard deviations  
`log_lik` If TRUE, Stan will save pointwise log-likelihood values in the output. This can greatly increase the size of the model. If FALSE, the values are calculated post-hoc from the posteriors  
`...` Arguments passed to the `stan` call, such as number of chains `chains` or iterations `iter`

**Value**

`ubmsFitColext` object describing the model fit.

**References**

MacKenzie DI, Nicholas JD, Hines JE, Knutson MG, Franklin AB. 2003. Ecology 84: 2200-2207.

**See Also**

[colext](#), [unmarkedMultFrame](#)

**Examples**

```

data(frogs)
umf <- formatMult(masspcru)
umf@y[umf@y > 1] <- 1 #convert counts to presence/absence
umf <- umf[1:100,] #Use only 100 sites

fit_frog <- stan_colext(~1, ~1, ~1, ~1, umf, chains=3, iter=300)

```

---

 stan\_distsamp

*Fit the Royle et al. (2004) Distance Sampling Model*


---

### Description

This function fits the hierarchical distance sampling model of Royle et al. (2004) to line or point transect data recorded in discrete distance intervals.

### Usage

```
stan_distsamp(
  formula,
  data,
  keyfun = c("halfnorm", "exp", "hazard"),
  output = c("density", "abund"),
  unitsOut = c("ha", "kmsq"),
  prior_intercept_state = normal(0, 5),
  prior_coef_state = normal(0, 2.5),
  prior_intercept_det = normal(0, 5),
  prior_coef_det = normal(0, 2.5),
  prior_intercept_scale = normal(0, 2.5),
  prior_sigma = gamma(1, 1),
  ...
)
```

### Arguments

formula	Double right-hand side formula describing covariates of detection and occupancy in that order
data	A <code>unmarkedFrameDS</code> object
keyfun	One of the following detection functions: "halfnorm" for half-normal, "exp" for negative exponential, or "hazard" for hazard-rate (see warning below)
output	Model either density "density" or abundance "abund"
unitsOut	Units of density. Either "ha" or "kmsq" for hectares and square kilometers, respectively
prior_intercept_state	Prior distribution for the intercept of the state (abundance) model; see <code>?priors</code> for options
prior_coef_state	Prior distribution for the regression coefficients of the state model
prior_intercept_det	Prior distribution for the intercept of the detection probability model
prior_coef_det	Prior distribution for the regression coefficients of the detection model

prior_intercept_scale	Prior distribution for the intercept of the scale parameter (i.e., $\log(\text{scale})$ ) for Hazard-rate models
prior_sigma	Prior distribution on random effect standard deviations
...	Arguments passed to the <code>stan</code> call, such as number of chains <code>chains</code> or iterations <code>iter</code>

**Value**

`ubmsFitDistsamp` object describing the model fit.

**Warning**

Use of the hazard-rate key function ("hazard") typically requires a large sample size in order to get good parameter estimates. If you have a relatively small number of points/transects (<100), you should be cautious with the resulting models. Check your results against estimates from `unmarked`, which doesn't require as much data to get good estimates of the hazard-rate shape and scale parameters.

**Note**

Values of `'dist.breaks'` in the `'unmarkedFrameDS'` should be as small as possible (<10) to facilitate convergence. Consider converting `'unitsIn'` from meters to kilometers, for example. See example below.

**References**

Royle, J. A., Dawson, D. K., & Bates, S. (2004). Modeling abundance effects in distance sampling. *Ecology* 85: 1591-1597.

**See Also**

[distsamp](#), [unmarkedFrameDS](#)

**Examples**

```
data(issj)
#Note use of km instead of m for distance breaks
jayUMF <- unmarkedFrameDS(y=as.matrix(issj[,1:3]),
                          siteCovs=issj[,c("elevation", "forest")],
                          dist.breaks=c(0,0.1,0.2,0.3),
                          unitsIn="km", survey="point")

fm_jay <- stan_distsamp(~1~scale(elevation), jayUMF, chains=3, iter=300)
```

---

 stan\_multinomPois      *Fit the Multinomial-Poisson Mixture Model*


---

**Description**

This function fits the multinomial-Poisson mixture model, useful for data collected via survey methods such as removal or double observer sampling.

**Usage**

```
stan_multinomPois(
  formula,
  data,
  prior_intercept_state = normal(0, 5),
  prior_coef_state = normal(0, 2.5),
  prior_intercept_det = logistic(0, 1),
  prior_coef_det = logistic(0, 1),
  prior_sigma = gamma(1, 1),
  log_lik = TRUE,
  ...
)
```

**Arguments**

formula	Double right-hand side formula describing covariates of detection and abundance in that order
data	A <code>unmarkedFrameMPois</code> object
prior_intercept_state	Prior distribution for the intercept of the state (abundance) model; see <code>?priors</code> for options
prior_coef_state	Prior distribution for the regression coefficients of the state model
prior_intercept_det	Prior distribution for the intercept of the detection probability model
prior_coef_det	Prior distribution for the regression coefficients of the detection model
prior_sigma	Prior distribution on random effect standard deviations
log_lik	If TRUE, Stan will save pointwise log-likelihood values in the output. This can greatly increase the size of the model. If FALSE, the values are calculated post-hoc from the posteriors
...	Arguments passed to the <code>stan</code> call, such as number of chains <code>chains</code> or iterations <code>iter</code>

**Value**

`ubmsFitMultinomPois` object describing the model fit.

**See Also**

[multinomPois](#), [unmarkedFrameMPois](#)

**Examples**

```
data(ovendata)
ovenFrame <- unmarkedFrameMPois(ovendata.list$data,
                                siteCovs=ovendata.list$covariates,
                                type="removal")

oven_fit <- stan_multinomPois(~1~scale(ufc), ovenFrame, chains=3, iter=300)
```

---

 stan\_occu

*Fit the MacKenzie et al. (2002) Occupancy Model*


---

**Description**

This function fits the single season occupancy model of MacKenzie et al. (2002).

**Usage**

```
stan_occu(
  formula,
  data,
  prior_intercept_state = logistic(0, 1),
  prior_coef_state = logistic(0, 1),
  prior_intercept_det = logistic(0, 1),
  prior_coef_det = logistic(0, 1),
  prior_sigma = gamma(1, 1),
  log_lik = TRUE,
  ...
)
```

**Arguments**

formula	Double right-hand side formula describing covariates of detection and occupancy in that order
data	A <a href="#">unmarkedFrameOccu</a> object
prior_intercept_state	Prior distribution for the intercept of the state (occupancy probability) model; see ?priors for options
prior_coef_state	Prior distribution for the regression coefficients of the state model
prior_intercept_det	Prior distribution for the intercept of the detection probability model

prior_coef_det	Prior distribution for the regression coefficients of the detection model
prior_sigma	Prior distribution on random effect standard deviations
log_lik	If TRUE, Stan will save pointwise log-likelihood values in the output. This can greatly increase the size of the model. If FALSE, the values are calculated post-hoc from the posteriors
...	Arguments passed to the <code>stan</code> call, such as number of chains <code>chains</code> or iterations <code>iter</code>

### Value

`ubmsFitOccu` object describing the model fit.

### References

MacKenzie DI, Nichols JD, Lachman GB, Droege S, Royle JA, Langtimm CA. 2002. Estimating site occupancy rates when detection probabilities are less than one. *Ecology* 83: 2248-2255.

### See Also

[occu](#), [unmarkedFrameOccu](#)

### Examples

```
data(frogs)
pferUMF <- unmarkedFrameOccu(pfer.bin)

#Add some covariates
siteCovs(pferUMF) <- data.frame(cov1=rnorm(numSites(pferUMF)))

#Fit model
(fm <- stan_occu(~1~cov1, pferUMF, chains=3, iter=300))
```

---

stan\_occuRN

*Fit the Occupancy Model of Royle and Nichols (2003)*

---

### Description

Fit the occupancy model of Royle and Nichols (2003), which relates probability of detection of the species to the number of individuals available for detection at each site.

**Usage**

```
stan_occuRN(
  formula,
  data,
  K = 20,
  prior_intercept_state = normal(0, 5),
  prior_coef_state = normal(0, 2.5),
  prior_intercept_det = logistic(0, 1),
  prior_coef_det = logistic(0, 1),
  prior_sigma = gamma(1, 1),
  log_lik = TRUE,
  ...
)
```

**Arguments**

formula	Double right-hand side formula describing covariates of detection and abundance in that order
data	A <code>unmarkedFrameOccu</code> object
K	Integer upper index of integration for N-mixture. This should be set high enough so that it does not affect the parameter estimates. Note that computation time will increase with K.
prior_intercept_state	Prior distribution for the intercept of the state (abundance) model; see <code>?priors</code> for options
prior_coef_state	Prior distribution for the regression coefficients of the state model
prior_intercept_det	Prior distribution for the intercept of the detection probability model
prior_coef_det	Prior distribution for the regression coefficients of the detection model
prior_sigma	Prior distribution on random effect standard deviations
log_lik	If TRUE, Stan will save pointwise log-likelihood values in the output. This can greatly increase the size of the model. If FALSE, the values are calculated post-hoc from the posteriors
...	Arguments passed to the <code>stan</code> call, such as number of chains <code>chains</code> or iterations <code>iter</code>

**Value**

`ubmsFitOccuRN` object describing the model fit.

**References**

Royle JA, Nichols JD. 2003. Estimating abundance from repeated presence-absence data or point counts. *Ecology* 84: 777-790.

**See Also**

[occuRN](#), [unmarkedFrameOccu](#)

**Examples**

```
data(birds)
woodthrushUMF <- unmarkedFrameOccu(woodthrush.bin)
#Add a site covariate
siteCovs(woodthrushUMF) <- data.frame(cov1=rnorm(numSites(woodthrushUMF)))

(fm_wood <- stan_occuRN(~1~cov1, woodthrushUMF, chains=3, iter=3000))
```

---

 stan\_occuTTD

*Fit Time-to-detection Occupancy Models*


---

**Description**

Fit time-to-detection occupancy models of Garrard et al. (2008, 2013). Time-to-detection can be modeled with either an exponential or Weibull distribution.

**Usage**

```
stan_occuTTD(
  psiformula = ~1,
  gammaformula = ~1,
  epsilonformula = ~1,
  detformula = ~1,
  data,
  ttdDist = c("exp", "weibull"),
  linkPsi = c("logit"),
  prior_intercept_state = logistic(0, 1),
  prior_coef_state = logistic(0, 1),
  prior_intercept_det = normal(0, 5),
  prior_coef_det = normal(0, 2.5),
  prior_intercept_shape = normal(0, 2.5),
  prior_sigma = gamma(1, 1),
  log_lik = TRUE,
  ...
)
```

**Arguments**

psiformula	Right-hand sided formula for the initial probability of occupancy at each site.
gammaformula	Right-hand sided formula for colonization probability. Currently ignored as dynamic models are not yet supported.

epsilonformula	Right-hand sided formula for extinction probability. Currently ignored as dynamic models are not yet supported.
detformula	Right-hand sided formula for mean time-to-detection.
data	unmarkedFrameOccuTTD object that supplies the data (see <a href="#">unmarkedFrameOccuTTD</a> ).
ttdDist	Distribution to use for time-to-detection; either "exp" for the exponential, or "weibull" for the Weibull, which adds an additional shape parameter $k$ .
linkPsi	Link function for the occupancy model. Only option is "logit" for now, in the future "cloglog" will be supported for the complimentary log-log link.
prior_intercept_state	Prior distribution for the intercept of the state (occupancy probability) model; see ?priors for options
prior_coef_state	Prior distribution for the regression coefficients of the state model
prior_intercept_det	Prior distribution for the intercept of the time-to-detection model
prior_coef_det	Prior distribution for the regression coefficients of the time-to-detection model
prior_intercept_shape	Prior distribution for the intercept of the shape parameter (i.e., $\log(\text{shape})$ ) for Weibull TTD models
prior_sigma	Prior distribution on random effect standard deviations
log_lik	If TRUE, Stan will save pointwise log-likelihood values in the output. This can greatly increase the size of the model. If FALSE, the values are calculated post-hoc from the posteriors
...	Arguments passed to the <a href="#">stan</a> call, such as number of chains chains or iterations iter

**Value**

ubmsFitOccuTTD object describing the model fit.

**References**

- Garrard, G.E., Bekessy, S.A., McCarthy, M.A. and Wintle, B.A. 2008. When have we looked hard enough? A novel method for setting minimum survey effort protocols for flora surveys. *Austral Ecology* 33: 986-998.
- Garrard, G.E., McCarthy, M.A., Williams, N.S., Bekessy, S.A. and Wintle, B.A. 2013. A general model of detectability using species traits. *Methods in Ecology and Evolution* 4: 45-52.
- Kery, Marc, and J. Andrew Royle. 2016. *Applied Hierarchical Modeling in Ecology*, Volume 1. Academic Press.

**See Also**

[occuTTD](#), [unmarkedFrameOccuTTD](#)

**Examples**

```

#Simulate data
N <- 500; J <- 1
scovs <- data.frame(elev=c(scale(runif(N, 0,100))),
                    forest=runif(N,0,1),
                    wind=runif(N,0,1))
beta_psi <- c(-0.69, 0.71, -0.5)
psi <- plogis(cbind(1, scovs$elev, scovs$forest) %%% beta_psi)
z <- rbinom(N, 1, psi)

Tmax <- 10 #Same survey length for all observations
beta_lam <- c(-2, -0.2, 0.7)
rate <- exp(cbind(1, scovs$elev, scovs$wind) %%% beta_lam)
ttd <- rexp(N, rate)
ttd[z==0] <- Tmax #Censor at unoccupied sites
ttd[ttd>Tmax] <- Tmax #Censor when ttd was greater than survey length

#Build unmarkedFrame
umf <- unmarkedFrameOccuTTD(y=ttd, surveyLength=Tmax, siteCovs=scovs)

#Fit model
(fit <- stan_occuTTD(psiformula=~elev+forest, detformula=~elev+wind,
                    data=umf, chains=3, iter=300))

```

---

stan\_pcount

*Fit the N-mixture model of Royle (2004)*


---

**Description**

This function fits the single season N-mixture model of Royle et al. (2004).

**Usage**

```

stan_pcount(
  formula,
  data,
  K = NULL,
  mixture = "P",
  prior_intercept_state = normal(0, 5),
  prior_coef_state = normal(0, 2.5),
  prior_intercept_det = logistic(0, 1),
  prior_coef_det = logistic(0, 1),
  prior_sigma = gamma(1, 1),
  log_lik = TRUE,
  ...
)

```

**Arguments**

formula	Double right-hand side formula describing covariates of detection and abundance in that order
data	A <code>unmarkedFramePCount</code> object
K	Integer upper index of integration for N-mixture. This should be set high enough so that it does not affect the parameter estimates. Note that computation time will increase with K.
mixture	Character specifying mixture: "P" is only option currently.
prior_intercept_state	Prior distribution for the intercept of the state (abundance) model; see <code>?priors</code> for options
prior_coef_state	Prior distribution for the regression coefficients of the state model
prior_intercept_det	Prior distribution for the intercept of the detection probability model
prior_coef_det	Prior distribution for the regression coefficients of the detection model
prior_sigma	Prior distribution on random effect standard deviations
log_lik	If TRUE, Stan will save pointwise log-likelihood values in the output. This can greatly increase the size of the model. If FALSE, the values are calculated post-hoc from the posteriors
...	Arguments passed to the <code>stan</code> call, such as number of chains <code>chains</code> or iterations <code>iter</code>

**Value**

`ubmsFitPcount` object describing the model fit.

**References**

Royle JA. 2004. N-mixture models for estimating population size from spatially replicated counts. *Biometrics* 60: 105-108.

**See Also**

`pcount`, `unmarkedFramePCount`

**Examples**

```
data(mallard)
mallardUMF <- unmarkedFramePCount(mallard.y, siteCovs=mallard.site)

(fm_mallard <- stan_pcount(~1~elev+forest, mallardUMF, K=30,
  chains=3, iter=300))
```

---

 summary,ubmsFit-method

*Extract Summary Statistics from a ubmsFit Model*


---

**Description**

Extract Summary Statistics from a ubmsFit Model

**Usage**

```
## S4 method for signature 'ubmsFit'
summary(object, submodel, probs = c(0.025, 0.25, 0.5, 0.75, 0.975), ...)
```

**Arguments**

object	A ubmsFit model
submodel	Name of submodel to summarize
probs	Numeric vector of quantiles of interest
...	Currently ignored

**Value**

An object of class `data.frame` containing summary statistics for posterior distributions of parameters from the chosen submodel.

---

traceplot,ubmsFit-method

*Markov Chain Traceplots*


---

**Description**

Draws traceplots for chains from a ubmsFit object

**Usage**

```
## S4 method for signature 'ubmsFit'
traceplot(object, ...)
```

**Arguments**

object	A ubmsFit object
...	Arguments passed to <code>rstan::traceplot</code>

**Value**

A ggplot object.

---

turnover	<i>Turnover Probability</i>
----------	-----------------------------

---

**Description**

Generate posterior draws of turnover probability from dynamic occupancy models. Turnover is calculated for each site and each primary period after the first.

**Usage**

```
turnover(object, ...)

## S4 method for signature 'ubmsFitColect'
turnover(object, draws, re.form = NULL, ...)
```

**Arguments**

object	A fitted dynamic occupancy model of class inheriting <code>ubmsFit</code>
...	Currently ignored
draws	Number of draws from the posterior to use in the check
re.form	If NULL, any estimated group-level parameters ("random effects") are included. If NA, they are ignored

**Value**

A matrix of turnover values from the posterior predictive distribution. The dimensions are draws by number of sites x (primary periods - 1) in site-major order.

**See Also**

[stan\\_colect](#)

---

ubms	<i>ubms</i>
------	-------------

---

**Description**

Unmarked Bayesian Models using Stan

**Author(s)**

Ken Kellner

---

 ubmsFitList-extractors

*Extractors for ubmsFitList objects Extract parts of ubmsFitList objects.*

---

## Description

Extractors for ubmsFitList objects Extract parts of ubmsFitList objects.

## Usage

```
## S4 method for signature 'ubmsFitList'
x$name

## S4 method for signature 'ubmsFitList,numeric,missing'
x[[i]]

## S4 method for signature 'ubmsFitList,numeric,missing,missing'
x[i]
```

## Arguments

x	A list of ubmsFit models of class ubmsFitList
name, i	The names or indices of ubmsFit models in the ubmsFitList

## Value

A ubmsFit object or list of such objects.

---

 waic,ubmsFit-method *Widely Applicable Information Criterion (WAIC)*


---

## Description

Widely Applicable Information Criterion (WAIC)

## Usage

```
## S4 method for signature 'ubmsFit'
waic(x, ...)
```

## Arguments

x	A ubmsFit model
...	Currently ignored

**Value**

An object of class `waic` containing an estimate of WAIC and other parameters useful for model comparison. See `?loo::waic` for more information.

# Index

[,ubmsFit,character,missing,missing-method, [3](#)  
[,ubmsFitList,numeric,missing,missing-method (ubmsFitList-extractors), [39](#)  
[,ubmsSubmodelList,character,missing,missing-method, [4](#)  
[[,ubmsFitList,numeric,missing-method (ubmsFitList-extractors), [39](#)  
\$,ubmsFitList-method (ubmsFitList-extractors), [39](#)

cauchy (priors), [20](#)  
coef,ubmsFit-method, [4](#)  
colex, [26](#)

distsamp, [28](#)

extract,ubmsFit-method, [5](#)  
extract\_log\_lik, [5](#)  
extract\_log\_lik,ubmsFit-method (extract\_log\_lik), [5](#)  
extract\_log\_lik,ubmsFitDistsamp-method (extract\_log\_lik), [5](#)

fitList (fitList,ubmsFit-method), [6](#)  
fitList,list-method (fitList,ubmsFit-method), [6](#)  
fitList,ubmsFit-method, [6](#)  
fitted,ubmsFit-method, [6](#)

gamma (priors), [20](#)  
get\_elapsed\_time,ubmsFit-method, [7](#)  
get\_stancode,ubmsFit-method, [8](#)  
getY,ubmsFit-method, [8](#)  
gof, [9](#)  
gof,ubmsFitAbun-method (gof), [9](#)  
gof,ubmsFitOccu-method (gof), [9](#)

kfold,ubmsFit-method, [10](#)

laplace (priors), [20](#)  
logistic (priors), [20](#)  
loo, [11](#)  
loo,ubmsFit-method, [10](#)  
loo\_compare, [11](#)  
modSel,ubmsFitList-method, [11](#)  
multinomPois, [30](#)

names,ubmsFit-method, [12](#)  
names,ubmsFitList-method, [12](#)  
normal (priors), [20](#)  
nsamples,ubmsFit-method, [13](#)

occu, [31](#)  
occuRN, [33](#)  
occuTTD, [34](#)

pcount, [36](#)  
plot,ubmsFit,ANY-method, [13](#)  
plot,ubmsGOF,ANY-method (gof), [9](#)  
plot\_effects (plot\_effects,ubmsFit-method), [14](#)  
plot\_effects,ubmsFit-method, [14](#)  
plot\_marginal (plot\_effects,ubmsFit-method), [14](#)  
plot\_marginal,ubmsFit-method (plot\_effects,ubmsFit-method), [14](#)  
plot\_posteriors (plot\_posteriors,ubmsFit-method), [15](#)  
plot\_posteriors,ubmsFit-method, [15](#)  
plot\_residuals (plot\_residuals,ubmsFit-method), [16](#)  
plot\_residuals,ubmsFit-method, [16](#)  
plot\_spatial, [17](#)

posterior\_linpred  
     (posterior\_linpred, ubmsFit-method),  
     17  
 posterior\_linpred, ubmsFit-method, 17  
 posterior\_predict, 23  
 posterior\_predict  
     (posterior\_predict, ubmsFit-method),  
     18  
 posterior\_predict, ubmsFit-method, 18  
 predict (predict, ubmsFit-method), 19  
 predict, ubmsFit-method, 19  
 priors, 20  
 projected, 21  
 projected, ubmsFitColect-method  
     (projected), 21  
  
 ranef, 23  
 ranef (ranef, ubmsFit-method), 22  
 ranef, ubmsFit-method, 22  
 residuals, 16  
 residuals, ubmsFit-method, 23  
 RSR, 24  
  
 stan, 26, 28, 29, 31, 32, 34, 36  
 stan\_colect, 22, 25, 38  
 stan\_distsamp, 27  
 stan\_multinomPois, 29  
 stan\_occu, 30  
 stan\_occuRN, 31  
 stan\_occuTTD, 33  
 stan\_pcount, 35  
 student\_t (priors), 20  
 summary, ubmsFit-method, 37  
  
 traceplot, ubmsFit-method, 37  
 turnover, 38  
 turnover, ubmsFitColect-method  
     (turnover), 38  
  
 ubms, 38  
 ubms-package (ubms), 38  
 ubmsFitList-extractors, 39  
 uniform (priors), 20  
 unmarkedFrameDS, 27, 28  
 unmarkedFrameMPois, 29, 30  
 unmarkedFrameOccu, 30–33  
 unmarkedFrameOccuTTD, 34  
 unmarkedFramePCount, 36  
 unmarkedMultFrame, 25, 26  
  
 waic, ubmsFit-method, 39